



Tape Analytical Report


Prepared For: Addison Christian
Adcon Environmental, LLC
#83 Estate Smithfield "The Mill"
Frederiksted, VI 00840
(340) 713-1703

AEML Batch: 501315

Project/Site:

Administration Offices, DOE-STX




Authorized for release by:
Baluswamy Krishnan
Technical Director

TEXAS
Department of
State Health
Services
License LAB#1020

This report may not be reproduced except in its entirety and with written approval from AEML, Inc. For questions please contact the laboratory at the e-mail address or telephone number listed on this page. Results pertain only to the sample(s) as received by the laboratory and presented on the accompanying Chain of Custody.



Table of Contents

Client: Addison Christian
Adcon Environmental, LLC
#83 Estate Smithfield "The Mill"
Frederiksted, VI 00840
(340) 713-1703

AEML Batch: 501315

Project/Site: Administration Offices, DOE-STX

1. Cover Page	1
2. Table of Contents	2
3. Project Narrative	3
4. Sample Summary	4
5. Detection Summary	5
6. Client Sample Results	6
7. Definitions and Glossary	7
8. Fungal Glossary	9
9. References and Links	18



Project Narrative

Client: Addison Christian
Adcon Environmental, LLC
#83 Estate Smithfield "The Mill"
Frederiksted, VI 00840
(340) 713-1703

AEML Batch: 501315

Project/Site: Administration Offices, DOE-STX

Receipt

The sample(s) contained in this report were collected on May 15, 2024 and received by Eurofins EPK Built Environment Testing, LLC - AEML (Eurofins AEML) on May 16, 2024. All samples were received in good condition unless otherwise noted in the results section of this report or on the accompanying Chain of Custody.

Sample Analysis

Analyses were performed in accordance to AEML, Inc.'s Standard Operating Procedures and Quality Assurance Program. No deviations were made to these procedures unless noted in the results section of this report. Any additional information that the laboratory believes relevant will be noted as Data Qualifiers accompanying the sample results.

Quality Assurance

AEML, Inc. has developed and implemented policies and procedures that adhere to the General Requirements for the Competence of Testing and Calibration Laboratories, ISO/IEC 17025:2017. These procedures have been reviewed by an independent outside organization and the laboratory has been accredited by the American Association for Laboratory Accreditation for Biological Testing (A2LA Testing Cert #2572.01). AEML, Inc. is also licensed by the Texas Department of State Health Services (Lab#1020). AEML, Inc. is an active participant in the AIHA EMPAT Proficiency Testing Program.

The laboratory is staffed by highly trained and experienced professionals. AEML, Inc. utilizes state of the art equipment that is of the most recent technology available for fungal spore identification and quantification. AEML, Inc. has the most up to date data systems available with capabilities to provide standard reports in hardcopy and electronic data deliverables.



Sample Summary

Client: Addison Christian
Adcon Environmental, LLC
#83 Estate Smithfield "The Mill"
Frederiksted, VI 00840
(340) 713-1703

AEML Batch: 501315

Project/Site: Administration Offices, DOE-STX

<u>Lab Sample ID</u>	<u>Client Sample ID</u>	<u>Media</u>	<u>Collected</u>	<u>Received</u>
501315-04	Window Ledge Int Off 426172	Tape	5/15/2024	5/16/2024



Detection Summary

Client: Addison Christian
Adcon Environmental, LLC
#83 Estate Smithfield "The Mill"
Frederiksted, VI 00840
(340) 713-1703

AEML Batch: 501315

Project/Site: Administration Offices, DOE-STX

Lab Sample ID	Client Sample ID	Spore Type	Count/cm²
501315-04	Window Ledge Int Off 426172	Cladosporium	31
		Curvularia	15

Addison Christian
 Adcon Environmental, LLC
 #83 Estate Smithfield "The Mill"
 Frederiksted, VI 00840
 (340) 713-1703



AEML, Inc.
 1301 E. Atlantic Blvd., Suite 5
 Pompano Beach, FL 33060
 Phone: (954) 333-8149
 Fax: (954) 333-8151
 email: customerservice@aemlinc.com

Project: Administration Offices, DOE-STX

Batch: 501315

Sampled: 5/15/2024
Received: 5/16/2024
Analysis Date: 5/16/2024
Report Date: 5/16/2024

AEML Test: T001 Tape Analysis

Sample ID:	501315-04
Client Sample ID:	Window Ledge Int Off 426172
Detection Limit:	15
Media:	Tape
Sample Analysis:	Analyzed at 600X Magnification

Spore Types	Raw Count	Count/cm ²	%
Alternaria	—	—	—
Arthrinium	—	—	—
Ascospores	—	—	—
Aspergillus/Penicillium-Like	—	—	—
Basidiospores	—	—	—
Bipolaris/Dreschlera	—	—	—
Botrytis	—	—	—
Chaetomium	—	—	—
Cladosporium	2	31	67
Curvularia	1	15	33
Epicoccum	—	—	—
Fusarium	—	—	—
Ganoderma	—	—	—
Memnoniella	—	—	—
Nigrospora	—	—	—
Oidium/Peronospora	—	—	—
Pithomyces	—	—	—
Rust	—	—	—
Smut/Myxomyces/Periconia	—	—	—
Stachybotrys	—	—	—
Torula	—	—	—
Ulocladium	—	—	—
Unidentified Spores	—	—	—
Total Spores	3	46	
Hyphal Fragments	—	—	—

Bal
Baluswamy Krishnan
 Technical Manager

Results submitted pertain only to the samples as presented on the accompanying Chain of Custody.
 This report shall not be reproduced, except in its entirety and with the written approval of AEML.



Definitions and Glossary

Definitions

Mold - A fungus that grows in the form of multicellular filaments called hyphae. Molds cause biodegradation of natural materials, which is necessary in nature but can become unwanted when it causes food spoilage or damage to property. Some diseases of animals and humans can be caused by certain molds. These diseases may result from allergic sensitivity to mold spores, from growth of pathogenic molds within the body, or from the effects of ingested or inhaled toxic compounds (mycotoxins) produced by molds.

Fungi - A Kingdom composed of eukaryotic organisms that include unicellular microorganisms such as molds, yeasts, smuts, and mushrooms. Fungi receive nutrients by absorbing dissolved molecules and are referred to as nature's decomposers.

Spores - Produced by molds and fungi as units of reproduction that have adapted for dispersal. Spores can disperse through the air, by insects, animals, or humans and remain dormant on a surface for years until favorable conditions for growth occur.

Mycotoxin - A toxic secondary metabolite produced by mold. The term 'mycotoxin' is usually reserved for the toxic chemical products produced by fungi that readily colonize crops. One mold species may produce many different mycotoxins, and the same mycotoxin may be produced by several species.

Glossary

Sample ID - A unique internal identification assigned to the sample by the laboratory for traceability of the sample.

Client Sample ID - An identification given to the sample and provided to the laboratory by the person who collected the sample. This is typically the location the sample was collected.

Sample Analysis - The method of analysis used by the laboratory to analyze the sample. The use of a high level of magnification such as 600X magnification is necessary to see small details and provides the highest quality analysis.

Media - The device used for collection of the sample.

Raw Count - Spore count present in the portion of the sample analyzed by the laboratory.

Count/cm² - An extrapolated count of spores that would be present in a square centimeter of surface area. This calculation is based on the portion of the sampled analyzed by the laboratory and the raw count.

Definitions and Glossary

Glossary

Percent (%) - Percent composition of the sample. This is a breakdown of the percentage of the total spore count of the sample that each spore comprises.

Detection Limit - Also known as Method Detection Limit. This is the minimum number of spores that would need to be present in one square centimeter of the surface in order for one spore to be detected by this analysis. This calculation is based on the portion of the sample analyzed by the laboratory.

Remediation

Remediation - The process correcting, or remedying, any issues in the building that were identified by a mold assessor. This may include cleaning or removing any contaminated material, as well as, identifying and correcting any conditions that may be favorable for mold growth.

AEML, Inc. makes no claims pertaining to the necessity of remediation. The results contained in this report should be used in conjunction with a physical inspection of the property to determine what, if any, actions are necessary.

Fungal Glossary



Typically found growing outdoors.







Potential allergen.



Considered water damage indicator.



Potential to produce mycotoxins.

Alternaria	
Description	Characteristics
<p>These are a common plant pathogen involved in the decomposition of plants. In the indoor environment they are found growing on a variety of substrates including sheetrock and other building materials. They are common allergens causing hay fever or hypersensitivity reactions.</p>	
Arthrimum	
Description	Characteristics
<p>These are a plant pathogen found in soil and decomposing plant material. Not typically found growing indoors. One species has been determined to be an allergen.</p>	
Ascospores	
Description	Characteristics
<p>These are a very large group of spores that are found everywhere in nature. They are commonly found outdoors and associated with rain and moisture. Some species grow well indoors on damp materials. Ascospores have allergenic potential, however, it is species dependent.</p>	<div style="display: flex; justify-content: space-around; align-items: center;">   </div>

Fungal Glossary



Typically found growing outdoors.



Potential allergen.




Considered water damage indicator.




Potential to produce mycotoxins.


Aspergillus/Penicillium-Like

Aspergillus/Penicillium-Like	
Description	Characteristics
<p>These are two of the most common genera in the world. They can be found everywhere in nature, both indoors and outdoors. Indoors they can be found on water damaged wallpaper, carpet, and other organic materials. They can also grow well in conditions of high humidity. Many species are allergens and a common cause of respiratory irritation. Some species are human and animal pathogens and can cause infection.</p>	

Basidiospores

Basidiospores	
Description	Characteristics
<p>These are primarily comprised of mushrooms and shelf fungi. They are typically found outdoors. Occasionally they are found indoors growing on any organic matter causing dry rot. Some species can be an allergen to sensitive individuals.</p>	

Bipolaris/Dreschlera

Bipolaris/Dreschlera	
Description	Characteristics
<p>These are a plant pathogen typically found outdoors on grasses, grains, and decaying food. Indoors they can be found on plants and building materials. They are an allergen that can affect the nose, skin, eyes and upper respiratory track.</p>	

Fungal Glossary



Typically found growing outdoors.









Potential allergen.



Considered water damage indicator.



Potential to produce mycotoxins.

Botrytis	
Description	Characteristics
<p>These are a plant pathogen typically found growing on vegetation particularly in temperate and subtropical climates. Indoors they can be found growing on plants. They are a potential allergen causing hay fever and asthma effects.</p>	 
Chaetomium	
Description	Characteristics
<p>These are typically found indoors on water damaged cellulose containing materials such as paper, sheetrock, and wallpaper. Not well studied but possible allergen with hay fever and asthma effects.</p>	  
Cladosporium	
Description	Characteristics
<p>One of the most common genera in both the indoor and outdoor environments. Indoors they grow well in damp environments and areas where condensation builds. They are often found on textiles, window sills, in bathrooms, and A/C systems. They are a common allergen when airborne.</p>	

Fungal Glossary



Typically found growing outdoors.









Potential allergen.



Considered water damage indicator.



Potential to produce mycotoxins.

Curvularia	
Description	Characteristics
<p>Primarily found outdoors on plants and soil especially in subtropical and tropical environments. Indoors they grow on a variety of building materials. They are a common allergen causing hay fever, asthma, and allergic fungal sinusitis.</p>	 
Epicoccum	
Description	Characteristics
<p>Outdoors they are found in the soil, air, and rotting vegetation. Indoors they grow well on a variety of building materials such as paper and textiles. They are a potential allergen with hay fever, asthma, and skin allergy effects.</p>	
Fusarium	
Description	Characteristics
<p>Indoors they are typically found under very wet conditions. Some places they can be found are dust in carpet and mattresses, damp walls, wallpaper, and duct liner. They are a potential allergen causing hay fever and asthma effects.</p>	  

Fungal Glossary



Typically found growing outdoors.









Potential allergen.



Considered water damage indicator.



Potential to produce mycotoxins.

Ganoderma	
Description	Characteristics
<p>These are shelf mushrooms that are typically found growing outdoors on wood causing white rot, root rot, and stem rot. They are a possible allergen at high concentrations.</p>	 
Memmoniella	
Description	Characteristics
<p>These are mycotoxin producing spores related to and often found in conjunction with Stachybotrys. These grow well on water damaged cellulose containing building materials such as sheetrock, paper, wallpaper, and textiles.</p>	 
Nigrospora	
Description	Characteristics
<p>These are typically found on decaying plant material and soil and are usually not found growing indoors. They are a potential allergen causing hay fever and asthma effects.</p>	 

Fungal Glossary



Typically found growing outdoors.



Potential allergen.




Considered water damage indicator.




Potential to produce mycotoxins.


Oidium/Peronospora

Description	Characteristics
<p>These are plant pathogens that are common obligate parasites on leaves, stems, flowers, and fruits of higher living plants.</p>	

Pithomyces

Description	Characteristics
<p>These are typically found on dead leaves and stems of plants. Rarely found growing indoors; however, they grow well on paper indoors given the right conditions.</p>	

Rust

Description	Characteristics
<p>These are parasitic plant pathogens that grow on plants, grass, and trees. They are rarely found growing indoors since they require a living host, and therefore typically not found on cellulose containing building materials. They are a potential allergen causing hay fever and asthma effects.</p>	

Fungal Glossary



Typically found growing outdoors.



Potential allergen.




Considered water damage indicator.




Potential to produce mycotoxins.


Smut/Myxomyces/Periconia

Description	Characteristics
<p>This is a grouping of several genera organized together in a general category that are mostly associated with living and decaying plants, wood, soil, grass, cereal crops, weeds, and flowering plants. These are rarely found growing indoors. They are a potential allergen causing hay fever and asthma effects.</p>	

Stachybotrys

Description	Characteristics
<p>These are typically found indoors growing on water damaged cellulose containing building materials such as sheetrock, paper, and ceiling tiles. They are often referred to as "toxic black mold." They have the ability to produce mycotoxins which may cause a burning sensation in the mouth, throat, and nasal passages. Chronic exposure has been known to cause headaches, diarrhea, memory loss, and brain damage.</p>	

Torula

Description	Characteristics
<p>These are typically found growing outdoors on leaves, roots, wood, and soil. Indoors they can be found growing on water damaged cellulose, paper, wicker, straw baskets and ceiling tiles. They are a potential allergen causing hay fever and asthma effects.</p>	

Fungal Glossary



Typically found growing outdoors.





Potential allergen.



Considered water damage indicator.



Potential to produce mycotoxins.

Ulocladium	
Description	Characteristics
<p>Requires very wet conditions and can commonly be found indoors in damp or wet areas such as bathrooms, kitchens, basements, and around windows. These grow well on cellulose containing materials such as paper and straw and on water damaged building material such as sheetrock. They are a common allergen causing hay fever and asthma effects.</p>	 
Unidentified Spores	
Description	Characteristics
<p>This is a grouping of spores that are unable to be categorized due to a variety of reasons. They may be weathered, disfigured, or otherwise lacking the morphological structures necessary to identify the genus.</p>	
Hyphal Fragments	
Description	Characteristics
<p>These are branched filamentous structures with cell walls. Hyphae are somewhat analogous to stems or roots in plants whereas the spores would be analogous to the seeds. Large quantities present may indicate an active fungal colony or active fungal growth in the structure.</p>	

Fungal Glossary



Typically found growing outdoors.




Potential allergen.



Considered water damage indicator.



Potential to produce mycotoxins.

Pollen	
Description	Characteristics
<p>These are a fine to coarse powdery substance produced by the anthers of seed-bearing plants, trees, grasses, flowers, and weeds. They are an allergen that causes hay fever effects.</p>	

The information provided in this report is not intended to provide medical advice. This report is designed to be used for building diagnostic purposes only. Any determination of exposure or potential for exposure should be formed using the results in this report in conjunction with a physical inspection of the property. A medical professional must be consulted for any medical or health related information.



References and Links

Environmental Protection Agency (EPA) - www.epa.gov/mold/

A Brief Guide to Mold, Moisture, and Your Home - www2.epa.gov/mold/brief-guide-mold-moisture-and-your-home

Should You Have the Air Ducts in Your Home Cleaned? - www2.epa.gov/indoor-air-quality-iaq/should-you-have-air-ducts-your-home-cleaned

Flood Cleanup - Avoiding Indoor Air Quality Problems - www2.epa.gov/indoor-air-quality-iaq/flood-cleanup-protect-indoor-air-quality

Center for Disease Control and Prevention (CDC) - www.cdc.gov/mold/

General Information - www.cdc.gov/mold/basics.htm

Cleanup and Remediation - www.cdc.gov/mold/cleanup.htm

Occupational Safety & Health Administration (OSHA) - www.osha.gov/SLTC/molds

American Academy of Allergy, Asthma & Immunology (AAAAI) - www.aaaai.org

Institute of Inspection, Cleaning and Restoration Certification (IICRC) - www.iicrc.org

Information and recommendations about mold can vary based on location and climate. More information can be found through your local state's and county's Indoor Air Quality programs. Links for your state's environmental agencies can be found through the EPA's website at:

<http://www2.epa.gov/indoor-air-quality-iaq/find-regional-and-state-indoor-air-quality-contact-information>